

## 基隆市天外天垃圾資源回收(焚化)廠 噪音監測結果

單位: dB(A)

										單化	立:dB(A)	
	_	項目	港安新村		富貴新村		港平新村		信義國中		東信路與東光路叉口	
年月份			假日 非假日		假日 非假日		假日 非假日		假日 非假日		假日 非假日	
法規值		L <sub>早</sub>	70		69		69		75		75	
		L <sub>B</sub>	74		71		71		76		76	
		L <sub>晚</sub>	70		69		69		75		75	
		L <sub>夜</sub>	67		63		63		73		73	
		L <sub>早</sub>	59.7	61.4	57.5	62.4	53.5	61.5	70.0	74.5	68.7	72.3
96	1											
		LB	65.9	66.2	67.7	66.4	64.7	66.8	74.2	74.6	75.0	75.7
		L <sub>晚</sub>	68.7	66.6	65. 9	66.8	66.7	66.1	72.5	74.5	78.4	76.2
		L <sub>夜</sub>	58.2	58.7	56.8	57.7	57.6	59.4	71.7	72.6	71.2	72.3
	2	L <sub>早</sub>	62.4	66.9	57.9	56.1	52.3	54.4	69.1	71.8	70.4	71.8
		L <sub>B</sub>	68.0	67.1	65.0	65.9	64.4	68.3	76.5	74.9	75.1	76.1
		L <sub>晚</sub>	66.6	65.0	66. 9	67.5	66.3	66.9	73.5	74.2	74.9	74.5
		L <sub>夜</sub>	60.4	62.9	57.7	58.8	57.5	59.0	71.5	71.4	71.6	69.9
	3	L <sub>早</sub>	63.1	62.5	65.0	63.5	53. 9	57.5	73. 2	74.9	72.9	74.0
		LB	66.2	66.4	66.3	66.0	59.0	59.3	74.8	75. 2	74.9	76.1
		L <sub>晚</sub>	66.6	65.2	68. 4	66.4	60.9	56.4	75.1	74.7	75.3	75.0
		L <sub>夜</sub>	57.4	56.5	57.7	57.0	47.7	46.1	72.8	70.6	70.5	69.4
		L <sub>早</sub>	63.2	61.4	63.0	60.1	60.3	59.0	73.3	72.8	71.3	69.1
	4	LB	68.7	69.5	67.7	67.8	67.3	66.4	76.2	75. 2	75.1	75.6
		L <sub>晚</sub>	65.7	75.8	67.4	66.6	67.0	66.9	74.9	74.8	75.1	75.4
		L <sub>夜</sub>	57.1	59.6	58. 2	57.0	59.6	59.0	71.6	71.1	70.1	70.2
		L <sub>P</sub>	61.5	64.4	60.7	62.7	59.5	60.8	72.0	71.4	71.3	70.8
	5	L	67.9	67.0	65.1	66.7	65.0	66.6	75.0	75. 3	76.1	75.7
			65.8	66.0	66.3	67.0	65. 2	66.1	74.3	74.0	80.4	76.3
		L <sub>晚</sub>										
		L <sub>夜</sub>	59.8	56.6	56.6	56.9	58.1	57.6	72.2	71.3	71.2	70.4
	6	L <sub>早</sub>	60.0	61.6	62.3	62.8	60.3	59.8	78.6	79.5	71.2	71.2
		L <sub>B</sub>	66.5	69.5	65.5	67.2	65.2	67.6	81.6	82.4	75.7	75.8
		L <sub>晚</sub>	75.4	66.3	66. 9	66.2	64.6	65.0	81.4	81.6	75.3	75.0
		L <sub>夜</sub>	58.3	59.6	64.8	60.3	58.0	56.6	77.8	78.0	70.8	69.9
	7	L <sub>早</sub>	58.5	58.9	62.5	60.9	59.5	61.1	72.3	73.3	70.7	71.8
		L <sub>B</sub>	67.9	66.9	64. 9	68.4	64.4	64.4	75.0	74.6	75.1	75.0
		L <sub>晚</sub>	73.7	71.2	66.6	66.0	64.2	63.6	74.4	74.5	77.0	75.1
		L <sub>夜</sub>	60.1	61.0	59.5	57.9	55.6	56.1	72.0	72.4	71.1	70.9
	8	L <sub>早</sub>	62.7	64.2	60.6	61.0	59.5	61.2	74.0	73. 1	69.0	71.0
		L <sub>B</sub>	67.7	68.9	64.3	65.2	64.4	64.8	72.6	73.7	74.5	75.4
		L <sub>晚</sub>	66.5	66.0	66.0	65.8	64.2	66.1	73.7	74.6	75.5	75.6
		L <sub>夜</sub>	59.5	58. 9	58. 1	59.0	55.6	57.5	74.7	74.3	71.0	70.9
		L <sub>P</sub>	60.6	62.4	58. 1	60.6	56.3	61.1	71.7	73. 0	70.5	71.0
	9	L <sub>H</sub>	67.9	66.7	64.0	66.4	63.6	64.9	74.5	75.8	75.3	75.0
					65. 9		64.8				75.6	
		L <sub>晚</sub>	65.4	64.1		65.8		65.5	75.4	74.5		74.8
		L <sub>夜</sub>	58.0	57.7	58.6	56.9	57.8	56.7	72.3	71.9	71.3	69.5
	10	L <sub>早</sub>	62.5	66.5	59. 2	64.6	59. 2	63.3	73.9	74.4	70.0	71.9
		LB	68.0	69.9	65.4	66.2	65.6	66.4	75.8	75.1	74.1	74.5
		L <sub>晚</sub>	67.9	67.2	66.7	65.1	67.1	65.9	76.0	74.3	74.2	75.2
		L <sub>夜</sub>	60.5	58.1	59.0	57.4	58.0	57.5	73.8	72.2	70.5	70.2
		L <sub>早</sub>	59.4	61.5	58. 9	50.7	56.6	52.8	74.5	74.5	71.4	71.9
	11	L <sub>B</sub>	68.8	67.4	64.8	65.4	65.0	64.8	74.6	74.6	75.2	75.5
		L <sub>晚</sub>	66.2	66.6	68. 2	66.7	67.5	63.1	75.0	75.0	76.0	75.5
		L <sub>夜</sub>	58.8	59.1	58. 9	60.3	58. 7	56.8	71.3	71. 3	71.2	70.6
	12	L <sub>早</sub>	61.4	63.2	58. 9	62.6	60.4	61.4	72.7	73.5	70.7	71.3
		L <sub>B</sub>	69.3	70.5	64.8	65.9	64.7	65.4	75.0	75. 4	75.4	75.8
		L <sub>sp.</sub>	67.3	68.3	64.8	68.0	64.4	66.3	74.3	76.3	75.5	77.1
		L <sub>夜</sub>	60.3	60.6	57.7	58.1	57.4	58.1	73.0	72.6	71.0	71.4
		1%	55.5	55.5	J ,		<i>□.</i>		, 0.0			