

基隆市天外天垃圾資源回收(焚化)廠 噪音監測結果

單位:dB(A)

/			1						单位:dB(A)				
* P W		項目	港安新村		富貴新村		港平新村		信義國中		東信路與東光路叉口		
年月份			假日	非假日	假日	非假日	假日	非假日	假日	非假日	假日	非假日	
環評背景值		La	63.7		70.9		58.6		68.7		76.8		
		L _®	56.3		65.3		55. 8		64.3		76.3		
		L _夜	62.2		60.3		46.3		62.5		68.8		
法規值		La	74		71		71		76		76		
		L _®	70		69		69		75		75		
		L _夜	67		63		63		72		72		
102	1	La	69.8	69.8	68.6	69.8	67.4	66.9	76.5	76. 9	75.4	74.8	
		L _®	65.9	66. 2	66.9	66.2	66.0	65. 2	76. 4	75. 9	74.2	74.0	
		L _夜	60.3	59. 5	60.6	59.5	60.2	58. 7	73.8	73. 9	70.8	70.6	
	2	La	65.8	68. 2	64.0	64.3	65.9	65.7	74.8	74. 9	80.0	74.9	
		L _{ož}	67.2	65. 9	63.9	64.4	64.6	65. 9	75.6	77.0	74.4	80.0	
		L _夜	68.0	57.6	59. 4	59.8	58. 4	62.6	75.2	74.4	72.8	72.7	
	3	La	69.6	69.0	66.2	66.4	73.0	73. 5	75.8	76.3	76.2	75.4	
		L _晚	65.7	63.6	64.4	61.8	70.8	65.8	76.6	76.2	74.7	74.3	
		L _夜	63.5	58.7	57.1	59. 2	64.3	61.5	72. 2	72.0	71.2	70.1	
	4	La	67.6	68.6	66.6	66.1	64.8	64.5	75. 7	75. 7	74.9	75.3	
		L	63.8	65.6	60.7	63.3	60.1	63. 4	75. 9	76.1	74.2	74.4	
		L _夜	59. 1	58.3	58.4	57.5	57.4	60.6	72.7	73.0	71.1	70.8	
	5	La	68.6	67.5	62.0	67.6	61.3	65. 2	74. 9	77.4	73. 9	75.7	
		Loè	62.0	63.3	57.6	63.0	58.6	63.0	74.8	76. 2	73. 9	74.5	
		L _夜	60.3	61.4	55.8	58. 7	54.6	54.3	72.0	71.7	69.8	69.5	
	6	La	67.2	68.1	63.5	64. 9	62.2	65.1	74. 9	74.8	74.7	75.3	
		L⊛	63.8	68.5	63.4	60.4	64.0	59.3	76. 4	74.9	77.1	73.9	
		L _夜	58.5	58.0	58. 9	57.4	57.2	56.7	72. 2	70.4	70.5	69. 4	
	7	La	68. 2	67.8	66.6	66.3	63.7	64.0	75. 4	75. 1	74.8	74.8	
		L⊛	64. 9	65.4	66.2	65.3	62.7	62.8	75. 9	74.9	74. 9	74.9	
		L _夜	58.8	59.8	58.5	58.5	56.9	59.0	72. 9	71.8	70. 2	69.7	
	8	La	70.3	68.5	64.8	65.1	63.7	64.9	74.6	74.8	74.0	74.1	
		L _®	62.9	63.2	61.5	61.6	63. 2	62.6	75. 6	75. 1	73. 2	72.4	
		L _夜	58.5	58.7	56.0	57.7	54.3	55.9	72.8	71.6	70.4	69.6	
		La	67.7	74.6	65.2	66.4	64.0	65.2	77.1	77.2	75.3	75.8	
	9	L晚	65.0	65.3	63.4	63.4	62.3	62.5	77.2	78. 4	75.0	75.5	
		L _夜	58.6	58.8	56.5	57.4	58.4	56.2	72.5	73. 2	70.3	70.5	
	10	La	67.8	68.7	66.2	65.4	64.2	64.6	74.8	75. 4	74.6	74.9	
		Loè	64. 9	65.5	63.6	62. 9	63. 2	62. 9	75. 3	75. 2	74.3	74.0	
		L _夜	59.4	59. 9	57.0	55. 9	56.4	56.7	71.6	71. 1	69.6	69.3	
	11	LB	71.6	75.0	66.1	67.2	65.7	65.9	76. 2	75.8	75. 1	75.1	
		L晚	66.5	74.8	64.5	64.3	64.1	63.8	76. 3	76.0	75.0	74.4	
		L夜	60.0	69. 9	57.6	58.5	56.7	55.5	72.5	71. 9	70.4	69. 9	
	12	LB	67.3	70.4	65.0	65. 2	65.8	65.7	75. 7	75. 1	75.3	75.1	
		L晚	65.3	64.3	63.5	65.5	64.9	66.0	76.4	76. 2	74.4	74.4	
		L夜	59. 4	57.5	56.1	58.0	57.8	59.1	72.1	72.3	69.8	70.1	